§Appl. No. 10/017,393 Amdt. dated May 6, 2004 Reply to Office Action of, February 23, 2004

## Listing

- 1. (Currently Amended) An isolated human H2R polynucleotide which codes without interruption for an amino acid sequence set forth in SEQ ID NO 2, or a <u>complete</u> complement thereto.
- 2. (Currently Amended) An isolated human H2R polynucleotide comprising, a polynucleotide sequence having 95% or more sequence identity to along the entire length of the polynucleotide sequence set forth in SEQ ID NO 2 1 and which codes without interruption for H2R, or a complete complement thereto, wherein said polynucleotide hybridizes under high stringency conditions comprising 5X SSC, 0.5% SDS, 100 μg/ml denatured salmon sperm DNA and 50% formamide, at 42°C to the complete complement of the sequence set forth in SEQ ID NO:1, and wherein said polynucleotide codes for a polypeptide that has H2 receptor activity.
- 3. (Currently Amended) An isolated H2R polynucleotide, comprising: a polynucleotide coding for amino acids 360-422 of SEQ ID NO 2, specific fragments thereof which hybridize specifically under high stringent conditions to the polynucleotide sequence from nucleotide positions 1180-1368 as set forth in SEQ ID NO:1, or complete complements thereto.
- 4. (Currently Amended) An isolated H2R polynucleotide of claim 3, consisting of: <u>a</u> polynucleotide coding for

amino acids 360-422 of SEQ ID NO 2, or a complete complement thereto.

2

§Appl. No. 10/017,393 Amdt. dated May 6, 2004 Reply to Office Action of, February 23, 2004

- 5. (Original) An isolated H2R polynucleotide of claim 3, wherein said fragment is effective in a polymerase chain reaction.
- 6. (Original) An isolated human H2R polypeptide coded for a polynucleotide of claim 1, comprising: the amino acid sequence set forth in SEQ ID NO 2.
- 7. (Original) An isolated human H2R polypeptide coded for a polynucleotide of claim 2, comprising: an amino acid sequence having 95% or more sequence identity to the amino acid sequence set forth in SEQ ID NO 2.
- 8. (Original) An isolated H2R polypeptide coded for by a polynucleotide of claim 3, coding for amino acids 360-422 of SEQ ID NO 2 or specific fragments thereof.
- 9. (Original) An isolated H2R polypeptide of claim 8, consisting of: amino acids 360-422 of SEQ ID NO 2.
- 10. (Original) A method for identifying an agent that modulates the biological activity of a human H2R in mammalian cells expressing a human H2R of claim 2, comprising:

contacting mammalian cells expressing human H2R with a test agent under conditions effective for said test agent to modulate the biological activity of said human H2R, wherein said cells are transformed with a polynucleotide construct comprising an expressible human H2R polynucleotide, whereby said H2R expression is achieved, and

determining whether said test agent modulates said H2R.

11. (Original) A method of claim 10, wherein said agent is a polynucleotide coding for a peptide selected from amino acids 360-422 of SQ ID NO 2.

§Appl. No. 10/017,393 Amdt. dated May 6, 2004 Reply to Office Action of, February 23, 2004

- 12. (Original) A method of claim 10, wherein said human H2R has the amino acid sequence set forth in SEQ ID NO 2.
- 13. (Currently Amended) A transformed mammalian cell comprising: a polynucleotide construct comprising a human H2R polynucleotide of claim 2 operatively linked to an expression control sequence sequences.
- 14. (Original) A transformed cell of claim 13, wherein said human H2R polynucleotide has the sequence set forth in SEQ ID 1.
- 15. (Original) A transformed cell of claim 13, wherein said human H2R polynucleotide has the amino acid sequence set forth in SEQ ID 2.
- 16. (Original) A transformed cell of claim 13, wherein said expressible human H2R polynucleotide is integrated into the chromosome of said cell.
- 17. (Original) An isolated antibody which is specific for a polypeptide having amino acids 360-422 of SEQ ID NO 2, or specific fragments thereof.
- 18. (New) An isolated human H2R polynucleotide of claim 1, comprising the polynucleotide sequence from nucleotide positions 103-1368 as set forth in SEQ ID NO:1, or a complete complement thereto.
- 19. (New) An isolated H2R polynucleotide of claim 3, wherein said polynucleotide comprises the polynucleotide sequence from nucleotide positions 1180-1368 as set forth in SEQ ID NO:1.